## 所有型号功能比较

模型	YM-01-EN	KM-01-EN	KM-03-EN	KL-02	KL-03	KL-05	KL-06
加热模式	即热式	即热式	即热式	即热式	即热式	即热式	即热式
图片		323	Enter 1972  Enter		(a) (A	x   0  mal(0)	I PART OF THE PROPERTY OF THE
尺寸	517*440*114mm	508*381*151mm	508*381*151mm	650*395*514mm	650*405*538	680*390*450mm	686*415*528
后部清洁	•	•	•	•	•	•	•
前部清洁	•	•	•	•	•	•	•
按摩清洁	•	•	•	•	•	•	•
柔和清洁	•	_	_	_	•	•	•
清洗压力调节	•	•	•	•	•	•	•
清洁温度调节	•	•	•	•	•	•	•
清洁位置调整	•	•	•	•	•	•	•
烘干机位置调整	_	_	_	•	•	•	•
座椅温度调节	•	•	•	•	•	•	•
烘干机温度调节	•	•	•	•	•	•	•
座椅加热	•	•	•	•	•	•	•
烘干机	•	•	•	•	•	•	•
除臭	•	•	•	•	•	•	•
喷嘴清洁	•	•	•	•	•	•	•
自动省电	•	•	•	•	•	•	•
短路保护	•	•	•	•	•	•	•
紫外线杀菌	_	_	_	_	_	_	•
轻柔关闭	•	•	•	•	•	•	•
小夜灯	•	•	•	•	•	•	•
自动开通会员	_	_	_	_	_	•	•
自动冲洗	_	_	_	•	•	•	•